

The **Snapset II Packer** is a compression set tool requiring only straight set down weight to pack-off. This packer is run above another compression set packer (such as the AS-III Packer) to selectively treat, produce or inject in multiple zone completions. This packer is also used to isolate casing hole perforations.

This packer features a large by-pass area to prevent swabbing when running and retrieving. Once the packer is set, pressure from above or below acts down on the valve to maintain the seal and prevent upward movement of the tubing. When releasing, the valve allows debris to be washed from the upper slips. This packer is equipped with an internal latch to prevent setting prematurely when running in the hole. When releasing, the latch re-engages to allow movement downhole.

Special Features

- > Large internal by-pass
- > Set down to pack off, pick up to release
- > Mechanical slips vs. hydraulic buttons
- > Differential pressure holds valve closed

Casing		Recommended		Tool ID	Thread Connections	Dort
Size (inches)	Weight (lbs/ft)	Hole Size (inches)	Tool OD (inches)	Tool ID (inches)	Thread Connections Box Up / Pin Down	Part Number
3-1/2	7.7 - 10.2	2.922 - 3.068	2.781	1.25	1.900 NUE	63635
4-1/2	9.5 - 13.5	3.920 - 4.090	3.750	1.94	2-3/8 EUE	63645
	15.1	3.826	3.656	1.94	2-3/8 EUE	63644
	18.8	3.640	3.437	1.50	1.900 EUE	63646
5	11.5 - 15.0	4.408 - 4.560	4.125	1.94	2-3/8 EUE	63650
	18.0 - 21.0	4.154 - 4.276	4.000	1.94	2-3/8 EUE	63652
5-1/2	14.0 - 20.0	4.778 - 5.012	4.625	2.00	2-3/8 EUE	63655
				2.38	2-7/8 EUE	63656
	20.0 - 23.0	4.670 - 4.778	4.500	2.00	2-3/8 EUE	63657
				2.38	2-7/8 EUE	63658
6-5/8	24.0 - 32.0	5.675 - 5.921	5.500	2.50	2-7/8 EUE	63665
7	17.0 - 26.0	6.276 - 6.538	6.000	2.50	2-7/8 EUE	63672
				3.00	3-1/2 EUE	63674
	26.0 - 32.0	6.094 - 6.276	5.875	2.50	2-7/8 EUE	63670
7-5/8	24.0 - 29.7	6.875 - 7.025	6.672	2.50	2-7/8 EUE	63675
	33.7 - 39.0	6.625 - 6.765	6.453	2.50	2-7/8 EUE	63676
9-5/8	32.3 - 43.5	8.755 - 9.001	8.500	3.00	3-1/2 EUE	63696

Product Specifications



NOTE: All pricing includes standard Nitrile trim. Other sizes and connections available upon request

Rev. 2/16